JOURNAL OF ORGANOMETALLIC CHEMISTRY VOLUME 445, NUMBERS 1–2, FEBRUARY 23, 1993

Contents

Regular Papers

A solid state ^{7}Li NMR study of phenyllithium aggregates
D. Johnels (Umeå, Sweden) (Rec'd September 1, 1992) 1

Formation and instability of an α-acetoxyborane
J.L. Hubbard (Huntington, WV, USA) (Rec'd January 29, 1992; in rev'd form August 5, 1992) 7

Reaction of Me_3Ga and Me_3Al with the tertiary-tetraaza analog of adamantane, hexamethylenetetramine (N_4-Ada). Syntheses and molecular structures of $[(Me_3M)_n \cdot N_4\text{–Ada}]$ (n = 1–4, M = Ga or Al)
J.B. Hill, S.J. Eng, W.T. Pennington and G.H. Robinson (Clemson, SC, USA) (Rec'd April 13, 1992; in rev'd form August 7, 1992) . . . 11

Sterically overcrowded or charge perturbed molecules. XXIII. Hexakis(trimethylsilyl)disilane: structure and photoelectron spectrum of a sterically overcrowded molecule
H. Bock, J. Meuret and K. Ruppert (Frankfurt/Main, Germany) (Rec'd March 16, 1992) 19

Photoelectron spectrum and reactivity of silylalkyl sulphides. Stabilization of radical cations by the β-silyl effect
L. Nyulászi, T. Veszprémi and J. Réffy (Budapest, Hungary) (Rec'd July 16, 1992) 29

Synthesis and characterization of bis(trichlorosilylmethyl)benzenes
M. Motevalli, D.L. Ou, A.C. Sullivan (London, UK) and S.W. Carr (Bebington, UK) (Rec'd June 10, 1992) 35

Über gemischte Gruppe 14–Gruppe 14-Bindungen. V. Sechs Perphenylierte Propan-Analoga $Ph_3M\text{–}M'Ph_2\text{–}M''Ph_3$ (M, M', M'' = Si/Ge): ein Beitrag zum Elektronegativitätsunterschied zwischen Silicium und Germanium
M. Charissé, M. Mathes, D. Simon und M. Dräger (Mainz, Deutschland) (Eing. den 11. August 1992) 39

Synthesis, reactivity, and molecular structure of $[\{N(CH_2CH_2O)_3Si\text{–}C_6H_5\}W(CO)_3]$
J.-S. Lee, Y.K. Chung (Seoul, South Korea), D. Whang and K. Kim (Pohang, South Korea) (Rec'd July 3, 1992; in rev'd form August 15, 1992) 49

Polysulfonylamine. XXXVIII. Darstellung und Festkörperstruktur von Bis(trimethylzinn)-dimesylamid-hydroxid $[Me_3Sn\{\mu\text{-}(MeSO_2)_2\text{-}N\}Me_3Sn(\mu\text{-}OH)]_n$
A. Blaschette, E. Wieland, P.G. Jones und I. Hippel (Braunschweig, Deutschland) (Eing. den 15. Juli 1992) 55

Zur Struktur sterisch gehinderter Zinn-Elementverbindungen: Kristallstruktur der Zinn-Schwefel-Stickstoff-Ringe $[(^tBu_2Sn)_2N_2S_2]$ und $[(^tBu_2Sn)N_2S_2]_2$
D. Hänssgen, M. Jansen, W. Assenmacher und H. Salz (Bonn, Deutschland) (Eing. den 28. Juli 1992) 61

1 : 1 Complexes of dimethyltin dihalides with tris(2,6-dimethoxyphenyl)- phosphine oxide, its sulphide, and related compounds
M. Wada, T. Fujii, S. Iijima, S. Hayase, T. Erabi (Tottori, Japan) and G.-e. Matsubayashi (Osaka, Japan) (Rec'd July 3, 1992; in rev'd form August 21, 1992) 65

Atropisomerism in (±)-7-methyl- and -phenyl-substituted dinaphtho[2,1-*b*;1′,2′-*d*]phospholes and dinaphth[2,1-*b*;1′,2′-*d*]arsoles
A.A. Watson, A.C. Willis and S.B. Wild (Canberra, A.C.T., Australia) (Rec'd July 23, 1992) 71

Studies on organolanthanide complexes. XLVI. Synthesis and characterization of N-containing ring-linked biscyclopentadienyl lanthanide and yttrium chlorides
C. Qian and D. Zhu (Shanghai, China) (Rec'd May 29, 1992; in rev'd form July 31, 1992) 79

Komplexkatalyse. XL. Darstellung und Kristallstruktur des Tetra(allyl)lanthanat(III)-Komplexes $[Li(\mu\text{-}C_4H_8O_2)_{3/2}][La(\eta^3\text{-}C_3H_5)_4]$, eines Katalysators für die stereospezifische Butadienpolymerisation
R. Taube, H. Windisch (Merseburg, Deutschland), F.H. Görlitz und H. Schumann (Berlin, Deutschland) (Eing. den 19. Juni 1992) . . . 85

Synthesis and characterization of novel covalent biphenyldiyl Sm^{II} and Yb^{II} complexes
Y. Chauvin, N. Marchal, H. Olivier and L. Saussine (Rueil-Malmaison, France) (Rec'd May 14, 1992) 93

Synthesis, structure and oxidative addition reactions of triscyclopentadienyluranium(III) nitrile complexes
R. Adam, C. Villiers, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner (Gif sur Yvette, France) (Rec'd July 2, 1992) 99

Ketene acetal metallocene complexes. Crystal structure of $(C_5H_5)_2Ti(Cl)OC(OCH_3)\text{=}C(CH_3)_2$
K. Hortmann, J. Diebold and H.-H. Brintzinger (Konstanz, Germany) (Rec'd July 20, 1992) 107

Stabilization of a catalytically syndiotactic-specific metallocene cation by trimethylphosphine. The crystal structure of $[(\eta^5\text{-}C_5H_4)CMe_2\text{-}\eta^5\text{-}(C_{13}H_8)ZrMePME_3]^+ [B(C_6F_5)_4]^-$
A. Razavi (Feluy, Belgium) and U. Thewalt (Ulm, Germany) (Rec'd June 12, 1992) 111

Darstellung und Charakterisierung von Indenyl- und Fluorenyl-funktionalisierten Cyclopentadienylcarbonyl-Methylkomplexen des Molybdäns und Wolframs. Molekülstrukturen von $(\eta^5\text{-}C_5H_4CMe_2C_9H_7)M(CO)_3Me$ (M = Mo, W), $(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3Me$ und $(\eta^5\text{:}\eta^2\text{-}C_5H_4CMe_2C_9H_7)Mo(CO)_2Me$
H.G. Alt, J.S. Han (Bayreuth, Deutschland) und R.D. Rogers (DeKalb, IL, USA) (Eing. den 3. August 1992) 115

Studies on molybdenocene derivatives: reactions of $[Cp_2Mo(\eta^2\text{-}NCMe)]$ and preparation of alkyl hydride complexes. Crystal structure of $[Cp_2Mo(PMe_3)]$
C.G. De Azevedo (Lisboa, Portugal), M.A.A.F. De C.T. Carrondo (Oeiras, Portugal), A.R. Dias, A.M. Martins, M.F.M. Piedade (Lisboa, Portugal) and C.C. Romão (Oeiras, Portugal) (Rec'd May 28, 1992) 125

Zur Chemie des Dimesityleisens. VI. Die Struktur von Tetramesityldieisen
H. Müller, W. Seidel und H. Görls (Jena, Deutschland) (Eing. den 13. Juli 1992) 133

The preparation, polymerization and copolymerization of (η^5-vinylcyclopentadienyl)dicarbonylmethyliron monomer
A.K. Saha and M.M. Hossain (Milwaukee, WI, USA) (Rec'd April 14, 1992; in rev'd form July 6, 1992) 137

The reaction of iron-alkyls with triethyloxonium tetrafluoroborate: formation of iron ethoxycarbene complexes
J.R. Tinder, R.R. Kohl (Milwaukee, WI, USA), R.S. Bly (Columbia, SC, USA) and M.M. Hossain (Milwaukee, WI, USA) (Rec'd April 1, 1992; in rev'd form August 3, 1992) 143

Stereochemistry of the compounds $[Fe_3(CO)_9XY]$. Crystal and molecular structures of the mixed triiron carbonyl compounds $[Fe_3(CO)_9XY]$ (X, Y = S, Se, or Te)
G. Gervasio (Torino, Italy) (Rec'd May 6, 1992) 147

Synthesis of 1-alkynyl(phthalocyaninato)iron(II) and -ruthenium(II) complexes
M. Hanack, S. Knecht and H.-J. Schulze (Tübingen, Germany) (Rec'd July 8, 1992) 157

1,1′-Bis(diphenylphosphino)ferrocene ligand substitution in the benzylidyne-capped cluster $PhCCo_3(CO)_9$. Synthesis, X-ray structure, and redox reactivity of $PhCCo_3(CO)_7$(dppf)
W.H. Watson, A. Nagl (Fort Worth, TX, USA), S. Hwang and M.G. Richmond (Denton, TX, USA) (Rec'd April 23, 1992) 163

Coordination of a tripodal phosphine sulphide P_2S towards various transition metal ions
H.-E. Wang, M.-C. Cheng, G.-H. Lee, S.-M. Peng and S.-T. Liu (Taipei, Taiwan, ROC) (Rec'd July 3, 1992; in rev'd form August 21, 1992) 171

Enantiomerically pure C_2-symmetric bridged ferrocene and titanocene derivatives
K.-L. Gibis, G. Helmchen, G. Huttner and L. Zsolnai (Heidelberg, Germany) (Rec'd May 13, 1992) 181

Cluster chemistry. LXXXIII. Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with olefins: Products formed by addition of an alkene to the C_2 fragment. X-ray structures of $Ru_5(\mu_4\text{-}PPh)\{\mu_4\text{-}C_2(CHCHR)CHCH_2R\}(\mu\text{-}PPh_2)(CO)_{12}$ (R = H, Me) and $Ru_5(\mu_4\text{-}PPh)(\mu\text{-}PPh_2)(\mu\text{-}CO)(CO)_{10}\{\eta^5\text{-}C_5H_3Me\text{-}1\text{-}(CH{=}CH_2)\text{-}3\}$
C.J. Adams, M.I. Bruce, M.J. Liddell, E.R.T. Tiekink (Adelaide, S.A., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) (Rec'd August 5, 1992) 187

Cluster chemistry. LXXXIV. Reactions of $Ru_5(\mu_5\text{-}C_2PPh_2)(\mu\text{-}PPh_2)(CO)_{13}$ with alkenes: attack at the C_2PPh_2 ligand without cleavage of the C–P bond. X-Ray structures of $Ru_5(\mu_5\text{-}C)(\mu\text{-}PPh_2)(\mu\text{-}RC_3H_3PPh_2)(CO)_{11}$ (R = Me, Ph) and $Ru_5(\mu_5\text{-}C)(\mu\text{-}PPh_2)(\mu\text{-}PhC_3H_3PPh_2)(CO)_{11-n}\{P(OMe)_3\}$ (n = 0, 1)
C.J. Adams, M.I. Bruce (Adelaide, S.A., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) (Rec'd August 5, 1992) 199

Cluster chemistry. LXXXVI. Metallation of pyridine in reactions with an Ru_5 cluster. X-Ray structures of $Ru_4\{\mu_4\text{-}C_2H(PPh_2)\}(\mu\text{-}PPh_2)(\mu\text{-}NC_5H_4)(CO)_{10}\cdot CH_2Cl_2$ and $Ru_6(\mu_6\text{-}C_2H)(\mu_3\text{-}NC_5H_4)(\mu\text{-}PPh_2)_2(\mu\text{-}CO)(CO)_{12}\cdot 1.25CHCl_3$
C.J. Adams, M.I. Bruce (Adelaide, S.A., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) (Rec'd July 29, 1992) . 211

Metallorganische Lewissäuren. XLVII. Kationische Komplexe $[(OC)_5ReL]^+$ und $[Cp(OC)(Ph_3P)RuL]^+$ mit O-Donoren und N-Donoren (L = Carbonsäureester, Ethanol, Lacton, Lactam, Diphenylketimin)
J. Milke, C. Missling, K. Sünkel und W. Beck (München, Deutschland) (Eing. den 30. Juli 1992) 219

Stereoselektive Bildung von Organoosmium-Komplexen mit Aminocarboxylat-Liganden
H. Werner, T. Daniel, O. Nürnberg, W. Knaup und U. Meyer (Würzburg, Deutschland) (Eing. den 17. Juli 1992) 229

Synthetic pathways for selective introduction of a dicobalt hexacarbonyl cluster into a polyfunctional molecule: methotrexate
M. Salmain and G. Jaouen (Paris, France) (Rec'd March 25, 1992) 237

Synthesis, structure and hydrogenation of η^3-benzyl diphosphine complexes of rhodium and iridium
M.D. Fryzuk, D.H. McConville and S.J. Rettig (Vancouver, B.C., Canada) (Rec'd May 30, 1991; in rev'd form July 23, 1992) 245

Highly stereoselective hydroformylation of a (2*R*)-2-tert-butyl-Δ^4-1,3-oxazoline derivative
L. Kollár (Veszprém, Hungary) and P. Sándor (Budapest, Hungary) (Rec'd July 16, 1992) 257

$IrCl_2H(P^iPr_3)_2$ as catalyst precursor for the reduction of unsaturated substrates
H. Werner, M. Schulz (Würzburg, Germany), M.A. Esteruelas and L.A. Oro (Zaragoza, Spain) (Rec'd July 16, 1992) 261

Synthesis and reactivity of binuclear 7-azaindolate complexes of iridium. I. Characterization of isomers by H,H-COSY NMR spectroscopy
M.A. Ciriano, J.J. Pérez-Torrente and L.A. Oro (Zaragoza, Spain) (Rec'd June 8, 1992) 267

Synthesis and reactivity of binuclear 7-azaindolate complexes of iridium. II. Oxidative-addition reactions of halogens and halocarbons to $[\{Ir(\mu\text{-aza})(CO)_2\}_2]$
M.A. Ciriano, J.J. Pérez-Torrente and L.A. Oro (Zaragoza, Spain) (Rec'd June 8, 1992) 273

The synthesis of ionic iridium(III) carbene complexes of the type $[Ir\{{=}CR{-}NHMe\}Cl(OSO_2CF_3)(CO)(PPh_3)_2]^+[O_3SCF_3]^-$
B.L. Booth and A.C. Wickens (Manchester, UK) (Rec'd August 11, 1992) 283

Cyclometallated complexes of Pd^{II} and Mn^I with *N*,*N*-terephthalylidenebis(cyclohexylamine)
J.M. Vila, M. Gayoso, M.T. Pereira, M. López, G. Alonso and J.J. Fernández (Santiago de Compostela, Spain) (Rec'd June 4, 1992) . 287

A novel high nuclearity bimetallic cluster: the crystal structure of $[N(PPh_3)_2][Ag_6Cu_7(C_2Ph)_{14}]$
M.S. Hussain (Dhahran, Saudi Arabia) and O.M. Abu-Salah (Riyadh, Saudi Arabia) (Rec'd April 21, 1992) 295

Preliminary Communications

Metallorganische Verbindungen der Lanthanoide. LXXIV. Tris(tetramethylcyclopentadienyl)komplexe der Lanthanoide
H. Schumann, M. Glanz und H. Hemling (Berlin, Deutschland) (Eing. den 15. Oktober 1992) C1

Un nouveau type de ferrocénophane, premier exemple de structure dimère
R. Broussier, Y. Gobet, R. Amardeil, A. Da Rold, M.M. Kubicki et B. Gautheron (Dijon, France) (Reçu le 16 octobre 1992) C4

Reactions of Ru_3 clusters with functional phosphines: formation of μ_3-acyl and μ_3-imidoyl complexes
C.J. Adams, M.I. Bruce, O. Kühl (Adelaide, S.A., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) (Rec'd September 14, 1992) C6

Simultaneous substitution of bridging acetate groups and reversible Rh–C bond cleavage in $[Rh_2(O_2CCH_3)_3\{(C_6H_4)PPh_2\}(HO_2CCH_3)_2]$ in the presence of CF_3CO_2H. Crystal structure of $[Rh_2(O_2CCF_3)_3\{(C_6H_4)PPh_2\}(HO_2CCF_3)_2]$
P. Lahuerta, J. Latorre, E. Peris, M. Sanaú, M.A. Ubeda (Burjassot-Valencia, Spain) and S. García-Granda (Oviedo, Spain) (Rec'd September 22, 1992) C10

Convenient synthesis of [η^3-1-(formyl)allyl]- and [η^3-1-(dimethoxymethyl)allyl]palladium chlorides
S. Ogoshi, K. Hirako, J. Nakanishi, K. Ohe and S. Murai (Osaka, Japan) (Rec'd October 3, 1992; in rev'd form October 17, 1992) C13

Synthesis, molecular structure and NMR behaviour of $[9,9\text{-}(PMe_2Ph)_2\text{-}arachno\text{-}9,6,8\text{-}PtS_2B_7H_7]$: Direct evidence for the ten-vertex borane vertex-flip mechanism of isomerization
J.H. Jones, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett (Leeds, UK), B. Štíbr (Prague, Czech Republic) and H. Langhoff (Darmstadt, Germany) (Rec'd March 18, 1992) C15

Book Reviews C17

Conference Calendar C19

Author Index C21

Subject Index C23